

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re application of: Suyker, et al.

Patent No.: 7,666,198

Application No. 10/805,714

Issue Date: February 23, 2010

Filing Date: March 22, 2004

Confirmation No.: 9243

For: MECHANICAL ANASTOMOSIS SYSTEM FOR HOLLOW STRUCTURES

Mail Stop Post Issue  
Honorable Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**REQUEST FOR CERTIFICATE OF CORRECTION  
PURSUANT TO 37 CFR § 1.322 & 37 CFR § 1.323**

It is respectfully requested that a Certificate of Correction be issued for the above-identified patent. The patent has **one** error(s); **one** of which occurred through the fault of the Patent and Trademark Office, and **zero** error(s) was/were the fault of the applicant. Applicant's error(s) occurred in good faith and are of a clerical or typographical nature, or minor character, and are not believed to constitute new matter or require examination.

Enclosed herewith please find a completed Certificate of Correction form.

- ☐ Please charge Deposit Account No. 50-0462 in the amount of \$       .00      . This sheet is attached in duplicate. (See 37 CFR § 1.20(a))
- ☐ A check in the amount of \$100.00 is attached.
- ☒ The Commissioner is hereby authorized to charge any deficiency or credit any overpayment of the fees associated with this communication to Deposit Account No. 50-0462.

**Certificate of Correction**

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

At Col. 1, line 20, of the published patent please insert the following under the Related U.S. Application Data after the International application information:

--which claims the benefit of Netherlands Application No. 1007349, filed October 24, 1997--

**REMARKS**

This request for a certificate of correction is made pursuant to 35 U.S.C. §255 and 37 CFR §1.323 to correct the claim to benefit under 35 U.S.C. §120. It appears that the Patent Office inadvertently omitted part of the claim of priority for this application on the issued patent. The correct priority claim is reflected on the Official Filing Receipt and includes the Netherland application.

The correction does not involve a change that would constitute new matter.

Issuance of a Certificate of Correction is requested.

**III. Conclusion**

If it is felt that a telephone interview would expedite correction of this patent, feel free to telephone the undersigned at 215-599-0600.

Respectfully submitted,

Date: March 18, 2010

/Kevin J. Dunleavy/  
Kevin J. Dunleavy  
Registration No. 32,024

KNOBLE YOSHIDA & DUNLEAVY, LLC  
Eight Penn Center- Suite 1350  
1628 John F. Kennedy Boulevard  
Philadelphia, PA 19103  
(215) 599-0600  
Customer No. 21,302